

Strep throat is a common bacterial infection that primarily affects the throat and tonsils. It's caused by the bacterium Group A Streptococcus (GAS). Understanding the various aspects of strep throat can help in recognizing its symptoms, ensuring timely diagnosis, and adopting effective treatment and prevention strategies.

## Causes

- Bacterial Infection: Strep throat is caused by the Group A Streptococcus bacteria. Unlike most sore throats, which are viral, this is a bacterial infection.1211
- Transmission: The bacteria are highly contagious and spread through respiratory droplets from coughing, sneezing, or close contact with an infected person.1216 Symptoms
- Common Symptoms: These include sore throat, pain when swallowing, fever, red and swollen tonsils, sometimes with white patches or streaks of pus, and swollen lymph nodes in the neck.12
- Other Symptoms: Headache, stomach pain, nausea, vomiting, and rash (scarlet fever) are also common, especially in children.1216 Diagnosis
- Physical Exam: A healthcare provider will look for signs of strep throat during a physical examination.3
- Rapid Antigen Test: This test can quickly detect strep bacteria from a throat swab.37
- Throat Culture: If the rapid test is negative but strep throat is still suspected, a throat culture may be done to confirm the diagnosis.37
- Antibiotics: Penicillin or amoxicillin is commonly prescribed to treat strep throat. It's crucial to complete the full course of antibiotics to prevent complications.34
- Symptom Relief: Over-the-counter pain relievers like ibuprofen or acetaminophen can help relieve throat pain and reduce fever. Home remedies such as gargling with salt water and staying hydrated are also beneficial.45
- Hygiene Practices: Regular handwashing, not sharing personal items like utensils, and covering the mouth when coughing or sneezing can help prevent the spread of strep bacteria.258
- Isolation: Infected individuals should stay home from work or school until they have been on antibiotics for at least 24 hours to reduce the risk of spreading the infection.<sup>58</sup>



- Rheumatic Fever: Untreated strep throat can lead to rheumatic fever, a serious condition that can affect the heart, joints, nervous system, and skin.212
- Poststreptococcal Glomerulonephritis: This is a kidney disease that can occur after a strep infection.2
- Scarlet Fever: Characterized by a red rash, this can occur in some cases of strep throat.216 Risk Factors
- Age: Strep throat is most common in children aged 5 to 15 years but can affect people of all ages.211
- Close Contact: Being in close contact with someone who has strep throat increases the risk of getting infected.211

When to see a Doctor

Persistent Symptoms: If sore throat, fever, or other symptoms of strep throat persist for more than 48 hours, it's important to see a healthcare provider for testing and possible treatment.<sup>212</sup>

Understanding these aspects of strep throat can help individuals recognize the signs and symptoms, seek timely medical care, and adopt measures to prevent its spread.

If you suspect you or someone in your family has strep throat, it's important to consult a healthcare provider for a proper diagnosis and treatment plan.

Find a Primary Care Provider

Accessible Primary Care. Over video and in person.

Same and next day availabilities.

Over 1 million video appointments held.

Held to an exceptionally high standard of evidence-based care. 350+ Primary Care Providers.

Fully licensed practice.

LegitScript certified.



Doctor's Guide on Understanding Strep Throat

	Circle Medical		
Book Appointment			_
<b></b>	-ISR	HSR	1
Are you a senior? Get free access to benefits checkup tool. Worry less & age better. Subscribe below to get started			
We promise r		your contact info. You may unsubscribe at	1
1 1	Subscr		
Leave this field empty if you're human:			
L			_1

Useful References / Citations:



Doctor's Guide on Understanding Strep Throat